

MA-WA55-TPMIMO

5.125-6.1 GHz Triple Polarization MIMO Subscriber Antenna

MARS Triple Polarization antenna provides coverage of 5.125-6.1 GHz frequency band in a single antenna radome.

Additional Features:

- 3 Ports: Dual Slant ($\pm 45^\circ$) and Vertical Polarization.
- Specially designed for MIMO applications for optimal decorrelation.
- Light weight and durable construction.
- UV protected radome made of polycarbonate.
- Can be customized with customer defined back plane and different connector configurations.



Specifications

Electrical

Frequency range	5.125-6.1 GHz
GAIN	Vertical Pol. 19 dBi
	Dual Slant Pol. 17.5 dBi
VSWR, max.	1.7 : 1
Polarization	Dual Slant $\pm 45^\circ$ and Vertical
3 dB Beam-Width-Azimuth, typ.	Dual Slant: 20° ; V- Pol 22°
3 dB Beam-Width-Elevation, typ.	Dual Slant: 19° ; V- Pol 14°
Side Lobes, min.	-12 dB
Front to Back Ratio, min.	-35 dB
Port to Port Isolation	-40 dB (Vertical to $\pm 45^\circ$ Dual Slant)
Port to Port Isolation	-30 dB ($+45^\circ$ Dual Slant to -45° Dual Slant)
Input power, max.	10 Watt
Input Impedance	50 Ohm
Lightning Protection	DC Grounded

Mechanical

Dimensions (HxWxD)	305 x 305 x 15 mm (12" x 12" x 0.6")
Connector	See Ordering Options
Weight	1.5 kg.
Mounting	See ordering options
Radome	UV Protected Polycarbonate
Back Plane	Aluminum protected through chemical passivation

Environmental

Operating Temperature Range	-55°C to +65°C
Vibration	According to IEC 60721-3-4
Wind Load	200 Km/h (Survival)
Flammability	UL94
Water Proofing	IP-67
Humidity	ETS 300 019-1-4, EN 302 085 (Annex A.1.1)
Salt Fog	According to IEC 68-2-11

Ordering Options

MA-WA55-TPMIMO	Antenna with 3 x N-Type Female connectors Suited for MNT-22
MA-WA55-TPMIMOB	Antenna with 3 x N-Type Female connectors with MNT-22 mount
MA-WA55-TPMIMOSMELY	Antenna with large enclosure, 3 x RA SMA female Connectors and MNT-22
MA-WA55-TPMIMOSMELZ	Antenna with large enclosure, 3 x RA SMA female Connectors with PEMs and MNT-22

Patterns are available on our website

MARS Antennas & RF Systems proprietary information

MARS reserves the right to make technical changes or modifications to any of its products and specifications without prior notice and without implementing such changes to prior supplied products. Product images are representative and indicative only. Warranty terms and general conditions of sale are applicable on any purchase of any product, available on MARS website.

3 Hamanor st. Holon 5886103, P.O.Box 1852 Holon 5811801, Israel

Tel: +972-3-5599661 • Fax: +972-3-5599677 • e-mail: mars@marsant.co.il • web: www.mars-antennas.com